

Notice of Allowability

Application No.	Applicant(s)
10/677,528	BULLOCK ET AL.
Examiner	Art Unit
Luis Roman	2836

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTO-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. This communication is responsive to 02/06/06.
2. The allowed claim(s) is/are 1-12.
3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) All
 - b) Some*
 - c) None of the:
 1. Certified copies of the priority documents have been received.
 2. Certified copies of the priority documents have been received in Application No. _____.
 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) hereto or 2) to Paper No./Mail Date _____.
 - (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. Notice of References Cited (PTO-892)
2. Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. Information Disclosure Statements (PTO-1449 or PTO/SB/08),
Paper No./Mail Date _____.
4. Examiner's Comment Regarding Requirement for Deposit
of Biological Material
5. Notice of Informal Patent Application (PTO-152)
6. Interview Summary (PTO-413),
Paper No./Mail Date _____.
7. Examiner's Amendment/Comment
8. Examiner's Statement of Reasons for Allowance
9. Other _____.

DETAILED ACTION

Applicant amendment filed on 02/06/06 has been entered. Accordingly claims 2-7, 10-12 have been kept original, claims 1, 8 & 9 have been amended and no claims have been cancelled. No new claims were added. It also included remarks/arguments.

Reasons for allowance

The following is an examiner's statement of reasons for allowance.

Claims 1 & 8: the closest references are: "Electromagnetic Safety Enhancement Circuit for Universal Serial Bus systems" Tsai et al. US Patent 6101076 issued on August 8, 2000 & "Integrated Device Providing Overcurrent And Overvoltage Protection And Common-Mode Filtering To Data Bus Interface" Mikolajczak et al. US Patent 6937454 issued August 30, 2005.

These patents disclose an arrangement of a filter for the signals with coils in universal serial bus interfaces; Tsai et al. (Fig. 1 <prior art>) & Mikolajczak et al. (Fig. 1 <prior art>) both patents showing at least two signal/data lines being filtered.

The references do not disclose:

- a) a ground line going thru a choke comprising a ferrite, where said ground is coupled outside the choke with the AC power and routed thru high impedance. Required by claim 1.
- b) a choke comprising a ferrite core thru which a first, second, third and fourth signal lines pass. Required by claim 8.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance".

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Luis E. Román whose telephone number is (571) 272 – 5527. The examiner can normally be reached on Mon – Fri from 7:15 AM to 3:45 PM.


If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Brian Sircus can be reached on (571) 272-2800 x 36. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from Patent Application Information Retrieval (PAIR) system.

Status information for unpublished applications is available through private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Luis E. Román
Patent Examiner
Art Unit 2836

LR/033106



BRIAN SIRCUS
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2800